



baqsimi[®]

(glucagon) nasal powder 3mg



BE PREPARED WITH BAQSIMI

If you or your child are on insulin, a low blood sugar emergency can happen anywhere, anytime. BAQSIMI is a dry nasal spray that can be used by those around you or your child to help in a low blood sugar emergency.

Keep tube sealed until ready to use.



INDICATION

BAQSIMI is used to treat very low blood sugar (severe hypoglycemia) in people with diabetes ages 4 years and above.

SELECT SAFETY

Do not use BAQSIMI if you have a tumor in the gland on top of your kidneys (adrenal gland) called pheochromocytoma, you have a tumor in your pancreas called insulinoma, or you are allergic to glucagon, or any other ingredient in BAQSIMI.

Please see [page 4](#) for Purpose and Safety Summary.



WHEN TO USE BAQSIMI

BAQSIMI is not for everyday highs and lows in blood sugar—it's for a low blood sugar emergency (when your blood sugar drops from low to very low).

You or your child may need something other than orange juice or candy (sugar sources) to recover from a low blood sugar emergency. BAQSIMI can get low blood sugar back up when you can't safely eat or drink oral carbs. BAQSIMI can be given whether you are conscious or unconscious.

Your network can help in a low blood sugar emergency if you tell them where you keep your BAQSIMI, and when and how to use it. At school, keep your child's BAQSIMI with their teacher, in their backpack, or in the nurse's office.

Possible signs of a low blood sugar emergency include:



Irritability



Dizziness



Lack of coordination



Inattention or confusion



Shaking or sweating



Seizure or loss of consciousness

WHAT IS BAQSIMI?

BAQSIMI can help you or your child be prepared for a low blood sugar emergency.

- Each BAQSIMI device contains glucagon, which is a naturally occurring hormone that works by telling your liver to bring blood sugar back up.
- It is given as a puff in the nose.
- It is absorbed when sprayed into one side of the nose and doesn't need to be inhaled.



Compact and portable

Available in a 1- or 2-pack



Ready to use

Comes in a precise, premeasured dose



No refrigeration needed

(store at temperatures up to 86°F)

SELECT SAFETY

BAQSIMI may cause serious side effects, including:

High blood pressure. BAQSIMI can cause high blood pressure in certain people with tumors in their adrenal glands.

Low blood sugar. BAQSIMI can cause certain people with tumors in their pancreas to have low blood sugar.

Serious allergic reaction. Call your doctor or **get medical help right away** if you have a serious allergic reaction including rash, difficulty breathing, or low blood pressure.

Let those close to you or your child, like your family, friends, and teachers or coworkers, know what the possible signs are so they can be more prepared for an emergency. Everyone is different—some people may experience several symptoms, while others may be unaware that their blood sugar is dropping so low that it becomes an emergency.

HOW TO USE BAQSIMI

Read the Instructions for Use for BAQSIMI before using it.

BAQSIMI is used to treat very low blood sugar (severe hypoglycemia) that may cause you or your child to need help from others.

You should make sure you show your family, friends, and your child's teachers or school nurses where you keep BAQSIMI and explain how to use it by sharing these instructions. **They need to know how to use BAQSIMI before an emergency happens.**

- **Do not** remove the Shrink Wrap or open the Tube until you are ready to use it.

Preparing the Dose:

- Remove the Shrink Wrap by pulling on the red stripe.
- Open the lid and remove the Device from the Tube.
- **Caution: Do not press the Plunger until ready to give the dose.**

To watch a short video on how to use BAQSIMI, visit [BAQSIMI.com/how-to-use-BAQSIMI](https://baqsimi.com/how-to-use-BAQSIMI).



Keep tube sealed until ready to use.

Giving the Dose:



- **Hold Device** between fingers and thumb.
- **Do not** push Plunger yet.



- **Insert Tip** gently into one nostril until finger(s) touch the outside of the nose.



- **Push Plunger** firmly all the way in.
- **Dose is complete when the Green Line disappears.**

After giving the dose, those helping should do the following:

- Call for emergency medical help right away.
- If the person is unconscious, turn the person on their side.
- **Throw away the used Device and Tube.**
- Encourage the person to eat as soon as possible. When they are able to safely swallow, give the person a fast-acting source of sugar, such as juice. Then encourage the person to eat a snack, such as crackers with cheese or peanut butter.
- If the person does not respond after 15 minutes, another dose may be given, if available.

Caution: Replace the used BAQSIMI right away so you will have a new BAQSIMI in case you need it.


baqsimi[®]
(glucagon) nasal powder 3mg

PURPOSE and SAFETY SUMMARY

Important Facts About BAQSIMI® (BAK-see-mee). It is also known as glucagon nasal powder.

BAQSIMI is a prescription medicine used to treat very low blood sugar (severe hypoglycemia) in people with diabetes ages 4 years and above.

It is not known if BAQSIMI is safe and effective in children under 4 years of age.

Warnings

Do not use BAQSIMI if:

- you have a tumor in the gland on top of your kidneys (adrenal gland) called pheochromocytoma.
- you have a tumor in your pancreas called insulinoma.
- you are allergic to glucagon, or any other ingredient in BAQSIMI.

BAQSIMI may cause serious side effects, including:

High blood pressure. BAQSIMI can cause high blood pressure in certain people with tumors in their adrenal glands.

Low blood sugar. BAQSIMI can cause certain people with tumors in their pancreas to have low blood sugar.

Serious allergic reaction. Call your doctor or **get medical help right away** if you have a serious allergic reaction including:

- rash
- difficulty breathing
- low blood pressure

Common side effects

The most common side effects of BAQSIMI include:

- nausea
- vomiting
- headache
- runny nose
- discomfort in your nose
- stuffy nose
- redness in your eyes
- itchy nose, throat, and eyes
- watery eyes

These are not all the possible side effects of BAQSIMI. For more information, ask your doctor.

Call your doctor for medical advice about side effects. **You are encouraged to report side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.**

Before using

Before getting BAQSIMI, tell your health care provider about all your medical conditions, including if you:

- have a tumor in your pancreas.
- have not had food or water for a long time (prolonged fasting or starvation).
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed. It is not known if BAQSIMI passes into your breast milk. You and your doctor should decide if you can use BAQSIMI while breastfeeding.

Tell your doctor about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

How to use

- Read the detailed Instructions for Use that comes with BAQSIMI.
- Use BAQSIMI exactly how your doctor tells you to use it.
- Make sure your caregiver knows where you keep your BAQSIMI and how to use BAQSIMI the right way before you need their help.
- Your doctor will tell you how and when to use BAQSIMI.
- BAQSIMI contains only 1 dose of medicine and **cannot** be reused.
- BAQSIMI should be given in one side of your nose (nostril) but does not need to be inhaled.
- BAQSIMI will work even if you have a cold or are taking cold medicine.
- After giving BAQSIMI, the caregiver should call for emergency medical help right away.
- If the person does not respond after 15 minutes, another dose may be given, if available.
- Tell your doctor each time you use BAQSIMI.
- Store BAQSIMI at temperatures up to 86°F (30°C).
- Keep BAQSIMI in the shrink wrapped tube until you are ready to use it.

Keep BAQSIMI and all medicines out of the reach of children.

Learn more

For more information, call 1-800-545-5979 or go to www.baqsimi.com.

Medicines are sometimes prescribed for purposes other than those listed in a Patient Information leaflet. Do not use BAQSIMI for a condition for which it was not prescribed. Do not give BAQSIMI to other people, even if they have the same symptoms that you have. It may harm them.

This summary provides basic information about BAQSIMI but does not include all information known about this medicine. You can ask your pharmacist or doctor for information about BAQSIMI that is written for health professionals. This information does not take the place of talking with your doctor. Be sure to talk to your doctor or other health care provider about BAQSIMI and how to take it. Your doctor is the best person to help you decide if BAQSIMI is right for you.

BAQSIMI® is a registered trademark owned or licensed by Eli Lilly and Company, its subsidiaries, or affiliates.

GN CON BS 24JUL19



baqsimi[®]
(glucagon) nasal powder 3mg



BAQSIMI BASICS

BAQSIMI is simple to use and simple to explain, so your network can be ready to help in case of a low blood sugar emergency.

- Keep tube sealed until ready to use. If BAQSIMI has been exposed to moisture, **it may not work as expected.**
- Each BAQSIMI device contains 1 dose (3 mg) of glucagon nasal powder and **cannot** be reused.
- BAQSIMI is for nasal use only.
- BAQSIMI should not be used past its expiration date.

SELECT SAFETY

The most common side effects of BAQSIMI include nausea, vomiting, headache, runny nose, discomfort in your nose, stuffy nose, redness in eyes, itchy nose, throat, and eyes, and watery eyes. These are not all the possible side effects of BAQSIMI. For more information, ask your doctor.

Call your doctor for medical advice about side effects. **You are encouraged to report side effects of prescription drugs to the FDA.** Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

Remember to read the instructions given to you with your BAQSIMI prescription. For more information, visit BAQSIMI.com.

ASK YOUR DOCTOR ABOUT BAQSIMI

Help yourself, your network, and your child's teachers or school nurses be prepared for a low blood sugar emergency by asking your doctors for BAQSIMI during your next in-person or telehealth appointment.

Lilly Diabetes Solution Center

1-833-808-1234

The Lilly Diabetes Solution Center is a helpline to assist in paying for insulin and BAQSIMI.

For more tailored information, give us a call or visit insulinaffordability.com.

baqsimi[®]
(glucagon) nasal powder 3mg



When you've got BAQSIMI,
we've Got Your BAQ.

With the Got Your BAQ™ resources, we're all about helping you or your child. We're here to give helpful educational information and tools for BAQSIMI, including ways to help afford the prescription.

Sign up at: www.WeGotYourBAQ.com



For additional resources, including key info on BAQSIMI, what to expect, and savings opportunities, text **GYB** to **85099** when starting BAQSIMI.



baqsimi[®]
(glucagon) nasal powder 3mg

To learn more about BAQSIMI,
visit BAQSIMI.COM.

Lilly

BAQSIMI[®] is a registered trademark and Got Your BAQ™ is a trademark owned or licensed by Eli Lilly and Company, its subsidiaries, or affiliates.

PP-GN-US-1091 10/2021 ©Lilly USA, LLC 2021.
All rights reserved.